

DO NOT ENTER: /J.C./

**IN THE CLAIMS**

Please amend the claims as follows:

**{MARKED-UP VERSION OF THE AMENDED CLAIMS}**

--1. (AMENDED) A foldable and portable workstation for ergonomically supporting a portable computer, said workstation comprising:

a rigid back support;

a [raised] top surface foldably coupled to said back support via a first hinge

means; and

first and second leg assemblies foldably coupled to said back support via second

and third hinge means;

wherein said [back support includes hinge means for foldably coupling said] top surface and said leg assemblies [thereto] are configured such that said top surface may be positioned in any of a plurality of positions with respect to said leg assemblies.

3. (AMENDED) A [portable] workstation according to claim 1, wherein said top surface may be fixedly positioned with respect to said back support at an angle between thirty and sixty degrees.

1           5. (AMENDED)       A [portable] workstation according to claim 1, wherein each of said first  
2           and second leg assemblies are between three and six inches in height.

3  
4           7. (AMENDED)       A [portable] workstation according to claim 1, wherein said workstation  
5           further comprises a raised portion at a front end of said top surface comprising a lip to hold  
6           contents of said workstation in position on said surface.

7  
8           8. (AMENDED)       A [portable] workstation according to claim 7, wherein said [raised  
9           portion] lip is foldably coupled to said top surface.

10  
11          9. (AMENDED)       A [portable] workstation according to claim 1, wherein at least one of said  
12          leg assemblies, said top surface and said back support is constructed of a hard plastic material for  
13          providing stability and support for devices of substantial weight.

14  
15          12. (AMENDED)     A [portable] workstation according to claim 1, wherein said workstation  
16          further comprises a shelf positioned between said first and second leg assemblies, and below said  
17          top surface.

18  
19          13. (AMENDED)     A [portable] workstation according to claim 1, wherein said first and  
20          second leg assemblies are attached to said back support via hinges, and comprises positioning  
21          means for positioning said top surface in a plurality of positions.

1 15. (AMENDED) A [portable] workstation according to claim 1, wherein said workstation  
2 supports a laptop computer in such a way that the screen and keyboard of said laptop may be  
3 positioned above a user's lap.  
4

5 16. (AMENDED) A [portable] workstation according to claim 1, wherein said workstation  
6 further comprises a base foldably connected to the bottom of said back support such that it may  
7 be attached to said first and second leg assemblies.  
8

9 17. (AMENDED) A [portable] workstation according to claim 16, wherein said base is  
10 connected to said back support via hinges.  
11

12 18. (AMENDED) A [portable] workstation according to claim 17, wherein said workstation  
13 folds into a an approximately flat [portable] unit such that said leg assemblies, said top surface, said  
14 back support and said base are all approximately parallel with each other.  
15

16 20. (AMENDED) A [portable] workstation according to claim 1, wherein said top surface  
17 [are] is foldably coupled to said back support such that said top surface may be moved from a  
18 position at an angle with respect to said back support to a position approximately parallel to said  
19 back support.  
20  
21

1 21. (AMENDED) A [portable] workstation according to claim 1, wherein said top surface  
2 includes means for securing said top surface to said leg assemblies.

3  
4 22. (AMENDED) A [portable] workstation according to claim 1, wherein said first and  
5 second leg assemblies are foldably coupled to said back support such that each said leg assembly  
6 may be moved from a position approximately perpendicular to said back support to a position  
7 approximately parallel to said back surface.

8  
9 23. (AMENDED) A portable workstation for supporting a laptop computer, wherein said  
10 workstation comprises:

11 a generally rectangular work surface having a front edge, a back edge, a right side  
12 edge, a left side edge and a front lip;  
13 first and second legs for supporting said work surface at an angle; and  
14 a back panel foldably connected to said first leg, said second leg and said work  
15 surface[ such that];

16 wherein said work surface, said back panel and said first and second legs may be  
17 positioned in a first position such that said first and second legs support said work surface at one of  
18 a plurality of angles, and wherein said portable workstation may be folded into a second position  
19 such that [whereby] all of said first leg, said second leg, said work surface and said back panel are  
20 substantially parallel.

1        24. (AMENDED)     A [portable] workstation according to claim 23, wherein said workstation  
2        further comprises a raised portion comprising said lip at said front edge of said work surface to  
3        hold items in place on said work surface.

4  
5        25. (AMENDED)     A [portable] workstation according to claim 24, wherein said [raised  
6        portion] lip is foldably coupled to said work surface.

7  
8        26. (AMENDED)     A [portable] workstation according to claim 23, wherein said workstation  
9        further comprises a base foldably connected to a bottom edge of said back support such that said  
10       base may be removably attached to said first and second legs.

11  
12       27. (AMENDED)     A [portable] workstation according to claim 23, wherein said legs  
13       comprise means for adjusting said angle of said work surface.--

**{CLEAN VERSION OF THE AMENDED CLAIMS}**

--1. (AMENDED) A foldable and portable workstation for ergonomically supporting a portable computer, said workstation comprising:

a rigid back support;

a top surface foldably coupled to said back support via a first hinge means; and

first and second leg assemblies foldably coupled to said back support via second

and third hinge means;

wherein said top surface and said leg assemblies are configured such that said top surface may be positioned in any of a plurality of positions with respect to said leg assemblies.

3. (AMENDED) A workstation according to claim 1, wherein said top surface may be fixedly positioned with respect to said back support at an angle between thirty and sixty degrees.

5. (AMENDED) A workstation according to claim 1, wherein each of said first and second leg assemblies are between three and six inches in height.

7. (AMENDED) A workstation according to claim 1, wherein said workstation further comprises a raised portion at a front end of said top surface comprising a lip to hold contents of said workstation in position on said surface.

1           8. (AMENDED)       A workstation according to claim 7, wherein said lip is foldably coupled to  
2           said top surface.

3  
4           9. (AMENDED)       A workstation according to claim 1, wherein at least one of said leg  
5           assemblies, said top surface and said back support is constructed of a hard plastic material for  
6           providing stability and support for devices of substantial weight.

7  
8           12. (AMENDED)     A workstation according to claim 1, wherein said workstation further  
9           comprises a shelf positioned between said first and second leg assemblies, and below said top  
10          surface.

11  
12          13. (AMENDED)     A workstation according to claim 1, wherein said first and second leg  
13          assemblies are attached to said back support via hinges, and comprises positioning means for  
14          positioning said top surface in a plurality of positions.

15  
16          15. (AMENDED)     A workstation according to claim 1, wherein said workstation supports a  
17          laptop computer in such a way that the screen and keyboard of said laptop may be positioned  
18          above a user's lap.

19

20

21

1 16. (AMENDED) A workstation according to claim 1, wherein said workstation further  
2 comprises a base foldably connected to the bottom of said back support such that it may be  
3 attached to said first and second leg assemblies.  
4

5 17. (AMENDED) A workstation according to claim 16, wherein said base is connected to  
6 said back support via hinges.  
7

8 18. (AMENDED) A workstation according to claim 17, wherein said workstation folds into a  
9 an approximately flat unit such that said leg assemblies, said top surface, said back support and  
10 said base are all approximately parallel with each other.  
11

12 20. (AMENDED) A workstation according to claim 1, wherein said top surface is foldably  
13 coupled to said back support such that said top surface may be moved from a position at an angle  
14 with respect to said back support to a position approximately parallel to said back support.  
15

16 21. (AMENDED) A workstation according to claim 1, wherein said top surface includes  
17 means for securing said top surface to said leg assemblies.  
18  
19  
20  
21



1        22. (AMENDED)     A workstation according to claim 1, wherein said first and second leg  
2        assemblies are foldably coupled to said back support such that each said leg assembly may be  
3        moved from a position approximately perpendicular to said back support to a position  
4        approximately parallel to said back surface.

5  
6        23. (AMENDED)     A portable workstation for supporting a laptop computer, wherein said  
7        workstation comprises:

8                    a generally rectangular work surface having a front edge, a back edge, a right side  
9                    edge, a left side edge and a front lip;

10                  first and second legs for supporting said work surface at an angle; and

11                  a back panel foldably connected to said first leg, said second leg and said work  
12                  surface;

13                  wherein said work surface, said back panel and said first and second legs may be  
14        positioned in a first position such that said first and second legs support said work surface at one of  
15        a plurality of angles, and wherein said portable workstation may be folded into a second position  
16        such that all of said first leg, said second leg, said work surface and said back panel are  
17        substantially parallel.

18  
19        24. (AMENDED)     A workstation according to claim 23, wherein said workstation further  
20        comprises a raised portion comprising said lip at said front edge of said work surface to hold items  
21        in place on said work surface.

1        25. (AMENDED)    A workstation according to claim 24, wherein said lip is foldably coupled  
2        to said work surface.

3  
4        26. (AMENDED)    A workstation according to claim 23, wherein said workstation further  
5        comprises a base foldably connected to a bottom edge of said back support such that said base  
6        may be removably attached to said first and second legs.

7  
8        27. (AMENDED)    A workstation according to claim 23, wherein said legs comprise means  
9        for adjusting said angle of said work surface.--